

marmorin

BATHROOM

PRODUCT CATALOGUE

Marmorin is a Polish manufacturer of composite bathroom products. Founded in 1985 and headquartered in Wschowa, the company manufactures shower trays as well as washbasins and bathtubs. Marmorin specializes in OEM/private-label and ODM/custom-design products and customers.



MATT OR GLOSSY FINISH



EXTRA LIGHT



EASY TO INSTALL



ANTI-SLIP

MATERIALS

MINERALICAST

CAST DOLOMITIC MARBLE

MINERALICAST® is one of the most reliable and unique cast material on the market. The main component of the material is powdered dolomitic marble that consists of 96% calcium magnesium carbonate, which is a natural mineral, known as “dolomite” - $\text{CaMg}(\text{CO}_3)_2$. The powder is produced by disintegrating and purifying genuine dolomitic marble, which is a metamorphic rock formed by natural transformation (metamorphism and estimated to be over 500 million years old. During the production process, the powdered dolomitic marble is mixed with dedicated resin creating a strong casting filler. The external surface of each casted product is covered by one of our exclusive sanitary gelcoat coatings for perfect surface finish and performance. This combination of material components creates unique composite material - MINERALICAST®. Its chemical and physical properties allow manufacturing high-quality products of almost unlimited shapes and efficient technical and functional features

MULTICAST

ULTRA - LIGHT COMPOSITE

MULTICAST® is a unique composite material that combines both extraordinary durability and exceptional lightness. It is based on a special formula of the filler, developed by our R&D developed by our R&D Department, which allows manufacturing products be much lighter than cast stone equivalents without sacrificing longevity and durability. The external surface of the product is covered by a durable gelcoat coating for excellent surface performance available in gloss or matte finish.

The incorporation of MULTICAST® natural origin material, resulting in more than 30% weight reduction, resource consumption during manufacturing and transportation, compared to conventional solutions – more over it significantly reduces carbon footprint

10% of MULTICAST® raw materials are sustainable based.

75% of MULTICAST® is natural stone based



FAMILIES
BATHTUBS & WASHBASINS



ALICE I

COUNTERTOP WASBASIN




LENGTH	WIDTH	HEIGHT
550	327	205

- Available dimension options:
ALICE II 672x392x280
- Recommended mounting method: Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

ZPC - PVC trap set with chromed "Click Clack" trigger
ZPW - PVC trap set with white waste and Click Clack trigger



ALICE III

INSET WASHBASIN




LENGTH	WIDTH	HEIGHT
600	386	163

- Mounting method: Inset
- Cutting template needed for installation
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

ZPC - PVC trap set with chromed "Click Clack" trigger
ZCCN - PVC trap set with chromed „pop down" wast trigger I
ZPW - PVC trap set with white waste and Click Clack
ZCC - Chromed brass trap set with chromed „Clic Clack" trigger



ALICE I

FREE-STANDING-BATHTUB




LENGTH	WIDTH	HEIGHT
1790	750	740

- Mounting method: Free-standing
- Without tap hole
- Without overflow
- To install siphon, drilling below the floor level is required

SET INCLUDED:

SBK: PVC trap set with chromed waste and „Click Clack" trigger



ALICE II

IFREE-STANDING-BATHTUB




LENGTH	WIDTH	HEIGHT
2067	915	910

- Mounting method: Free-standing
- Without tap hole
- Without overflow
- To install siphon, drilling below the floor level is required

SET INCLUDED:

SBK: PVC trap set with chromed waste and „Click Clack" trigger






ALICE S

BACK TO WALL FLOOR STANDING-WASHBASIN



LENGTH	WIDTH	HEIGHT
590	390	980

- Mounting method : Wall mounted
 - Installed with hooks
 - Without tap hole
- SET INCLUDED:
ZPC - PVC trap set with chromed „Click Clack“ trigger





ARON

COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
610	440	160

- Recommended mounting method: Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- SBKO - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger



ARON

FREE-STANDING-BATHTUB




LENGTH	WIDTH	HEIGHT
1850	850	580

- Recommended mounting method: Free standing
- Without tap hole
- With or without integrated overflow
- If the siphon height is less than 85 mm drilling below the floor surface is not required

SET INCLUDED:

- SBKO - PVC trap set with chromed waste and „Click Clack“ trigger







BALIA

COUNTERTOP WASHBASIN






LENGTH	WIDTH	HEIGHT
400	400	300

- Recommended mounting method: Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger



BALIA

FREE-STANDING-BATHTUB






LENGTH	WIDTH	HEIGHT
1215	1215	650

- Recommended mounting method:
 - Free standing
- Without tap hole
- Without overflow
- If the siphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:

SBKO - PVC trap set with chromed waste and „Click Clack” trigger





BALTA

FREE-STANDING BATHTUB WITH WHITE OR BLACK PANEL




LENGTH	WIDTH	HEIGHT
1550	740	600

- Recommended mounting method: Free standing
- Without tap hole
- Without overflow
- With waste cover
The cover plate integrated with the click-clack plug
- If the siphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:

- SBK: PVC trap set with white plate and „Click Clack” trigger
- Black or white panel



BALTA

STANDING WASHBASIN




LENGTH	WIDTH	HEIGHT
900	494	170

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- Without overflow
- With waste cover
- Use ZCCN siphon to stop water draining

PRODUCT COMPATIBLE WITH:

- ZPS - PVC trap set with strainer and rubber plug
- ZCS - chromed brass trap set with strainer and rubber plug-
- ZCCN - PVC trap set with chromed „pop down” waste trigger







CASCADA


FREE-STANDING-BATHTUB



LENGTH	WIDTH	HEIGHT
1533	887	565

- Recommended mounting method: Free standing
- Without tap hole
- Without overflow
- If the siphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:
 SBK- PVC trap set with chromed waste and „Click Clack” trigger



CASCADA


COUNTERTOP WASHBASIN



LENGTH	WIDTH	HEIGHT
436	366	216

- Recommended mounting method: Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:
 -ZPC - PVC trap set with chromed „Click Clack” trigger
 -ZPW - PVC trap set with white waste „Click Clack” trigger



CASCADA


BACK-TO-WALL-FLOOR-STANDING-WASHBASIN



LENGTH	WIDTH	HEIGHT
468	480	850

- Recommended mounting method: Back to wall floor standing
- With or without tap hole
- Without overflow
- With mounting holes

SET INCLUDED:
 ZPC - PVC trap set with chromed „Click Clack” trigger







CLEO

COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
596	350	180

- Recommended mounting method: countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed "Click Clack" trigger
- ZPW - PVC trap set with white waste and "Click Clack" trigger
- ZCC - chromed brass trap set with chromed "Click Clack" trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger



CLEO

FREE-STANDING--BATHTUB





LENGTH	WIDTH	HEIGHT
1700	892	570

- Recommended mounting method: free standing
- Without tap hole
- Without overflow
- To install siphon, drilling below the floor level is required

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed "Click Clack" trigger
- ZPW - PVC trap set with white waste and "Click Clack" trigger
- ZCC - chromed brass trap set with chromed "Click Clack" trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger





DUO S


FREE-STANDING-WASHBASIN
WITH WHITE OR BLACK POSTUMENT



LENGTH	WIDTH	HEIGHT
380	380	850

- Mounting method: Free-standing washbasin
- Without tap hole
- Without overflow

SET INCLUDED:
ZPCP - PVC z trap set with chromed „Click Clack“
trigger





DUO II

COUNTERTOP WASHBASIN
WITH WHITE OR BLACK PANEL




LENGTH	WIDTH	HEIGHT
380	380	237

- Mounting method: Countertop washbasin
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPCP - PVC z trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with with white waste and „Click Clack” trigger



DUO I

INSET WASHBASIN




LENGTH	WIDTH	HEIGHT
380	380	216

- Mounting method: Inset washbasin
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPCP - PVC z trap set with chromed „Click Clack” trigger





DUO I


FREE-STANDING-BATHTUB



LENGTH	WIDTH	HEIGHT
1500	810	570

- Mounting method: Free-standing
- Without tap hole
- Without overflow
- If the siphon height is less than 98 mm drilling below the floor surface is not required

PRODUCT COMPATIBLE WITH:
SBK- PVC trap set with chromed waste and „Click Clack” trigger



DUO II


FREE-STANDING-BATHTUB
WITH WHITE OR BLACK PANEL



LENGTH	WIDTH	HEIGHT
1500	810	570

- Mounting method: Free-standing
- Without tap hole
- Without overflow
- If the siphon height is less than 98 mm drilling below the floor surface is not required

PRODUCT COMPATIBLE WITH:
SBK- PVC trap set with chromed waste and „Click Clack” trigger





ISAR S

FREE-STANDING-WASHBASIN



LENGTH	WIDTH	HEIGHT
455	328	845



- Recommended mounting method: Countertop
- Without tap hole
- Without overflow

SET INCLUDED:

ZPCP - PVC vertical trap set with chromed „Click Clack” trigger

PRODUCT COMPATIBLE WITH:

ZPCPW - PVC vertical trap set with chromed „Click Clack” trigger



ISAR I

COUNTERTOP WASHBASIN



LENGTH	WIDTH	HEIGHT
457	330	300

- Recommended mounting method: Countertop
- Without tap hole
- Without overflow



PRODUCT COMPATIBLE WITH:

ZPC - PVC trap set with chromed „Click Clack” trigger

ZPW - PVC trap set with with white waste and „Click Clack” trigger

ZCC - chromed brass trap set with chromed „Click Clack” trigger

ZCCN - PVC trap set with chromed "pop down" waste trigger



ISAR II

COUNTERTOP WASHBASIN



ENGTH	WIDTH	HEIGHT
800	360	150

- Recommended mounting method: Countertop
- Without tap hole
- Without overflow



PRODUCT COMPATIBLE WITH:

ZPC - PVC trap set with chromed „Click Clack” trigger

ZPW - PVC trap set with with white waste and „Click Clack” trigger

ZCC - chromed brass trap set with chromed „Click Clack” trigger

ZCCN - PVC trap set with chromed "pop down" waste trigger



ISAR

FREE-STANDING-BATHTUB



LENGTH	WIDTH	HEIGHT
1750	780	638

- Recommended mounting method:
 - Free-standing
- Without tap hole
- Without overflow



If the siphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:

SBK - PVC trap set with chromed waste and „Click Clack” trigger

PRODUCT COMPATIBLE WITH:

SBKW - PVC trap set with white waste and „Click Clack” trigger







LA DONNA

BACK-TO-WALL- BATHTUB



LENGTH	WIDTH	HEIGHT
1645	875	600

- Mounting method: back to wall
- With or without tap hole
- With or without overflow
- If the siphon height is less than 98 mm drilling below the floor surface is not required


SET INCLUDED:

SBK - PVC trap set with chromed waste and „Click Clack” trigger

PRODUCT COMPATIBLE WITH:

SBKW -PVC trap set with white waste and „Click Clack” trigger

SWK -PVC trap and overflow set with chromed waste and „Click Clack” trigger



LA DONNA

VANITY / INSET WASHBASIN



LENGTH	WIDTH	HEIGHT
720	460	112

- Mounting method:
 - Vanity
 - Inset
- With or without tap hole
- Without overflow


COMPATIBLE WITH:

ZPC - PVC trap set with chromed „Click Clack” trigger

ZPW - PVC trap set with with white waste and „Click Clack” trigger

ZCC - chromed brass trap set with chromed „Click Clack” trigger

ZCCN - PVC trap set with chromed „pop down” waste trigger





MIA

FREE-STANDING-BATHTUB



LENGTH	WIDTH	HEIGHT
1678	894	790


- Mounting method: Free-standing
- Without tap hole
- With or without integrated overflow
- If the siphon height is less than 85 mm drilling below the floor surface is not required
- The bathtub is not suitable for overflow bath fillers

SET INCLUDED:

SBKO - PVC trap set with chromed waste and „Click Clack“ trigger

PRODUCT COMPATIBLE WITH:

SBKOW -PVC trap set with white waste and „Click Clack“ trigger



MIA S

BACK-TO-WALL-FLOOR-STNDING WASHBASIN



LENGTH	WIDTH	HEIGHT
550	420	850

- Mounting method: Free-standing
- Without tap hole
- With integrated overflow


SET INCLUDED:

ZPC - PVC trap set with chromed „Click Clack“ trigger

PRODUCT COMPATIBLE WITH:

ZPW - PVC trap set with with white waste and „Click Clack“ trigger

ZCCN - PVC trap set with chromed „pop down“ waste trigger





MISA LEFT

CORNER-BATHTUB LEFT



LENGTH	WIDTH	HEIGHT
1553	916	812


- Mounting method: corner
- With or without tap hole
- With or without overflow
- If the siphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:

SBK- PVC trap set with chromed waste and „Click Clack“ trigger

PRODUCT COMPATIBLE WITH:

- SWA - PVC automatic overflow set with chromed pop-up trigger
- SWK - PVC trap and overflow set with chromed waste and „Click Clack“ trigger



MISA RIGHT

CORNER-BATHTUB RIGHT



LENGTH	WIDTH	HEIGHT
1553	916	812


- Mounting method: corner
- With or without tap hole
- With or without overflow
- If the siphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:

SBK- PVC trap set with chromed waste and „Click Clack“ trigger

PRODUCT COMPATIBLE WITH:

- SWA - PVC automatic overflow set with chromed pop-up trigger
- SWK - PVC trap and overflow set with chromed waste and „Click Clack“ trigger





MISA

COUNTERTOP / WALL-MOUNTED-WASHBASIN




LENGTH	WIDTH	HEIGHT
421	435	117

- Mounting method:
 - Countertop
 - Wall mounted
- With or without tap hole
- With or without overflow
- With or without mounting holes

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger
- ZCC - chromed brass trap set with chromed „Click Clack“ trigger
- ZCCN -PVC trap set with chromed "pop down" waste trigger





PIA

FREE-STANDING-BATHTUB




LENGTH	WIDTH	HEIGHT
1607	653	650

- Recommended mounting method:
Free-standing
 - Without tap hole
 - With or without overflow
 - The bathtub is not suitable for overflow bath fillers
 - If the siphon height is less than 98 mm drilling below the floor surface is not required
- SET INCLUDED:
SBK - PVC trap set with chromed waste and „Click Clack“ trigger

PRODUCT COMPATIBLE WITH:

- SBKW - PVC trap set with white waste and „Click Clack“ trigger
- ZOPCHP - chromed trap and overflow set with waste and „Click Clack“ trigger



PIA 60

VANITY / COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
620	361	125

- Available dimension options:
PIA 70: 720x361x125
PIA 90: 920x361x125
PIA W: 600x410x126 (wall-mounted)
- Recommended mounting method:
- Inset
- Countertop
- With or without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger
- ZCCN - PVC trap set with chromed „pop down“ waste trigger
- ZCC - chromed brass trap set with chromed „Click Clack“ trigger





WILA I
FREE-STANDING-BATHTUB




LENGTH	WIDTH	HEIGHT
1800	800	600

- Recommended mounting method: free-standing
- Without tap hole
- With or without integrated overflow
- the syphon height is less than 85 mm drilling below the floor surface is not required

SET INCLUDED

SBKO - PVC trap set with chromed/white* waste and „Click Clack“ trigger



WILA II
FREE-STANDING-BATHTUB




LENGTH	WIDTH	HEIGHT
1600	760	585

- Recommended mounting method: free-standing
- Without tap hole
- With or without integrated overflow
- the syphon height is less than 85 mm drilling below the floor surface is not required

SET INCLUDED :

SBKO - PVC trap set with chromed/white* waste and „Click Clack“ trigger







WEGA

FREE-STANDING-BATHTUB




LENGTH	WIDTH	HEIGHT
1690	685	520

- Recommended mounting method: Free-standing
- Without tap hole
- Without overflow
- To install syphon, drilling below the floor level is required

SET INCLUDED:

SBK - PVC trap set with chromed waste and „Click Clack“ trigger





WEGA I

BACK-TO-WALL-FLOOR-STANDING- WASHBASIN





LENGTH	WIDTH	HEIGHT
440	305	845

- Recommended mounting method: Back to wall floor standing
- Without tap hole
- Without overflow
- With waste cover

SET INCLUDED:

ZPS - PVC trap set with strainer and rubber plug



WEGA II L/ R

BACK TO WALL FLOOR STANDING WASHBASIN





LENGTH	WIDTH	HEIGHT
607	305	845

- Recommended mounting method: Back to wall floor standing
- With or without tap hole
- Without overflow
- With waste cover

SET INCLUDED:

ZPS - PVC trap set with strainer and rubber plug





BATH TUBS



ARIS

FREE-STANDING-BATHTUB



LENGTH	WIDTH	HEIGHT
1505	702	840


- Recommended mounting method: Free-standing
- Without tap hole
- Without overflow
- If the syphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:

SBK - PVC trap set with chromed waste and „Click Clack“ trigger

PRODUCT COMPATIBLE WITH:

SBKW - PVC trap set with white waste and „Click Clack“ trigger





BECA

FREE-STANDING-BATHTUB




LENGTH	WIDTH	HEIGHT
2200	1220	530

- Recommended mounting method: Free-standing
- Without tap hole
- Without overflow
- Installation of the siphon requires opening of the floor structure

SET INCLUDED:

SBK - PVC trap set with chromed waste and „Click Clack“ trigger





BIWA

FREE-STANDING-BATHTUB






LENGTH	WIDTH	HEIGHT
1398	850	933

- Recommended mounting method: Free-standing
- Without tap hole
- Without overflow
- To install syphon, drilling below the floor level is required

SET INCLUDED:

SBK - PVC trap set with chromed waste and „Click Clack“ trigger





ELLIPSE

FREE-STANDING-BATHTUB






LENGTH	WIDTH	HEIGHT
1700	820	600

- Recommended mounting method: Free-standing
- Without tap hole
- With overflow
- If the syphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:

SBK0 - PVC trap set with chromed waste and „Click Clack“ trigger





FAMA

FREE-STANDING-BATHTUB



LENGTH	WIDTH	HEIGHT
1700	800	595


- Recommended mounting method: Free standing
- Without tap hole
- With or without integrated overflow
- If the syphon height is less than 70 mm drilling below the floor surface is not required

SET INCLUDED:

SBK/SBKW - PVC trap set with chromed waste and „Click Clack” trigger

PRODUCT COMPATIBLE WITH:


ZOPCH - chromed brass exterior overflow set with stainless steel stainer and chromed metal plug




FAMA

LEG COVER


WHITE



BLACK



CHROME





ISLA I

BACK-TO-WALL-BATHTUB




LENGTH	WIDTH	HEIGHT
1700	892	575

- Recommended mounting method: Back-to-wall
- Without tap hole
- Without overflow
- If the syphon height is less than 70 mm drilling below the floor surface is not required

SET INCLUDED:

SBKO - PVC trap set with chromed waste and „Click Clack“ trigger



ISLA II

BACK-TO-WALL-BATHTUB




LENGTH	WIDTH	HEIGHT
1600	753	575

- Recommended mounting method: Back-to-wall
- Without tap hole
- Without overflow
- If the syphon height is less than 100 mm drilling below the floor surface is not required

SET INCLUDED:

SBKO - PVC trap set with chromed waste and „Click Clack“ trigger





LENART

FREE-STANDING-BATHTUB






LENGTH	WIDTH	HEIGHT
1700	727	590

- Recommended mounting method: Free standing
- Without tap hole
- Without overflow
- If the syphon height is less than 85 mm drilling below the floor surface is not required

SET INCLUDED:

SBK - PVC trap set with chromed waste and „Click Clack“ trigger





MOON

FREE-STANDING-BATHTUB





LENGTH	WIDTH	HEIGHT
1700	800	595

- Recommended mounting method: Free standing
- Without tap hole
- With integrated overflow
- If the syphon height is less than 70 mm drilling below the floor surface is not required

SET INCLUDED

SBKO - PVC trap set with chromed waste and „Click Clack“ trigger





SPACE

BACK-TO-WALL-BATHTUB




LENGTH	WIDTH	HEIGHT
1600	850	595

- Recommended mounting method: Back-to-wall
- Without tap hole
- With overflow
- If the syphon height is less than 70 mm drilling below the floor surface is not required

SET INCLUDED:

SBKO - PVC trap set with chromed waste and „Click Clack“ trigger





WIKA

FREE-STANDING-BATHTUB





LENGTH	WIDTH	HEIGHT
1700	892	575

- Recommended mounting method: Freestanding
- Without tap hole
- Without overflow
- If the syphon height is less than 98 mm drilling below the floor surface is not required

SET INCLUDED:

SBK - PVC trap set with chromed waste and „Click Clack” trigger





W A S H B A S I N S



APRIL 40

VANITY / INSET WASHBASIN




LENGTH	WIDTH	HEIGHT
400	220	87

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger
- ZCC - chromed brass trap set with chromed „Click Clack” trigger
- ZCCN - PVC trap set with chromed „pop down” waste trigger



APRIL 80

VANITY / INSET WASHBASIN




LENGTH	WIDTH	HEIGHT
800	220	87

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger
- ZCC - chromed brass trap set with chromed „Click Clack” trigger
- ZCCN - PVC trap set with chromed „pop down” waste trigger





BIRMA I

COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
570	410	145

- Recommended mounting method:
 - Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger



BIRMA II

COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
480	325	120

- Recommended mounting method:
 - Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger



MOIRA BIS 70

VANITY / INSET WASHBASIN



LENGTH	WIDTH	HEIGHT
1200	450	137


Available dimension options:

- MOIRA BIS 60: 600x500x125
- MOIRA BIS 80: 800x500x125
- MOIRA BIS 90: 900x500x125
- MOIRA BIS 100: 1000x500x125
- MOIRA BIS 120: 1200x500x125
- MOIRA BIS 120 D: 1200x500x125

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- With or without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger
- ZCC - chromed brass trap set with chromed „Click Clack” trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger



CETO 130

VANITY / COUNTERTOP WASHBASIN



LENGTH	WIDTH	HEIGHT
1300	550	150

- Recommended mounting method:
 - Vanity
 - Countertop


Available dimension options:

- CETO 90: 900x550x150
- CETO 80: 800x550x150
- CETO 60: 600x550x150

- With or without tap hole
- With or without overflow
- With mounting holes

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger
- ZCC - chromed brass trap set with chromed „Click Clack” trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger





C - LIGHT

COUNTERTOP WASHBASIN





LENGTH	WIDTH	HEIGHT
390	390	128

- Recommended mounting method:
 - Countertop
- Without tap hole
- Without overflow
- With waste cover
- Without drain stopper assembly

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger





DORI 90

VANITY / INSET WASHBASIN



LENGTH	WIDTH	HEIGHT
900	500	145

Available dimension options:


DORI 120: 1200x500x145

DORI 150 D: 1500x500x145

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- With or without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger
- ZCC - chromed brass trap set with chromed „Click Clack“ trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger





ELARA I - *No longer available*

VANITY / COUNTERTOP / WALL MOUNTED WASHBASIN





LENGTH	WIDTH	HEIGHT
400	200	100

- Recommended mounting method:
 - Vanity
 - Countertop
 - Wall-mounted
- With or without tap hole
- Without overflow
- With or without wall-mounting holes

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger
- ZCC - chromed brass trap set with chromed „Click Clack” trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger



ELARA II

VANITY / COUNTERTOP / WALL MOUNTED WASHBASIN





LENGTH	WIDTH	HEIGHT
400	200	100

- Recommended mounting method:
 - Vanity
 - Countertop
 - Wall-mounted
- With or without tap hole
- Without overflow
- With or without wall-mounting holes

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger
- ZCC - chromed brass trap set with chromed „Click Clack” trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger



ELARA III - *No longer available*

VANITY / COUNTERTOP / WALL MOUNTED WASHBASIN





LENGTH	WIDTH	HEIGHT
400	200	100

- Recommended mounting method:
 - Vanity
 - Countertop
 - Wall-mounted
- With or without tap hole
- Without overflow
- With or without wall-mounting holes

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger
- ZCC - chromed brass trap set with chromed „Click Clack” trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger





GRETA

VANITY / INSET WASHBASIN




LENGTH	WIDTH	HEIGHT
1000	500	150

Available dimension options:
 GRETA 60: 600x500x150
 GRETA 75: 750x500x150
 GRETA 90: 900x500x150
 GRETA 100: 1000x500x150
 GRETA 120: 1200x500x150
 GRETA 150: 1500x500x150

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- With or without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger



GRETA D

VANITY / INSET WASHBASIN




LENGTH	WIDTH	HEIGHT
1500	500	150

Available dimension options:
 GRETA 120D: 1200x500x150
 GRETA 150D: 1500x500x150

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger
- ZCCN - PVC trap set with chromed „pop down” waste trigger





HUBERT 120 D

VANITY / INSET WASHBASIN






LENGTH	WIDTH	HEIGHT
1200	460	142

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- With or without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger



HUBERT 150 D

VANITY / INSET WASHBASIN





LENGTH	WIDTH	HEIGHT
1500	460	142

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- With or without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger






HUBERT 90

VANITY / INSET WASHBASIN



LENGTH	WIDTH	HEIGHT
900	460	142

- Available dimension options:
600x460x142
750x460x142
900x460x142
1200x460x142
 - Recommended mounting method:
- Vanity
- Inset
 - With or without tap hole
 - With or without overflow
- PRODUCT COMPATIBLE WITH:
- ZPC - PVC trap set with chromed „Click Clack” trigger
 - ZPW - PVC trap set with white waste „Click Clack” trigger





LENA I

COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
385	385	150

- Recommended mounting method:
 - Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger





LIRA 90

COUNTERTOP WASHBASIN L / R




LENGTH	WIDTH	HEIGHT
902	390	117

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- With or without overflow
- With waste cover
- Possible dimension options:
 - 50x390x117 60x390x117
 - 80x390x117
 - 90x390x117
 - 120x390x117

PRODUCT COMPATIBLE WITH:

- ZPS - PVC trap set with strainer and rubber plug
- ZCCN - PVC trap set with chromed „pop down“ waste trigger



LIRA 120

COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
1202	390	117

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- With or without overflow
- With waste cover

PRODUCT COMPATIBLE WITH:

- ZPS - PVC trap set with strainer and rubber plug
- ZCCN - PVC trap set with chromed „pop down“ waste trigger





MODICO 60

COUNTERTOP / VANITY WASHBASIN




LENGTH	WIDTH	HEIGHT
600	430	145

Recommended mounting method:

- Vanity
- Countertop
- Available dimension option:
MODICO 80: 800x430x145
- With or without tap hole
- Without overflow
- With waste cover
- Without drain stopper assembl

PRODUCT COMPATIBLE WITH:

- ZPS - PVC trap set with strainer and rubber plug
- ZCS - chromed brass trap set with strainer and rubber plug





MONO

VANITY / INSET WASHBASIN



LENGTH	WIDTH	HEIGHT
1000	450	137

Available dimension options:

MONO 80: 800x450x137

MONO 100: 1000x450x137


MONO 120: 1200x450x137

MONO 140: 1400x450x137

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger





MONO L/R

VANITY / INSET WASHBASIN



LENGTH	WIDTH	HEIGHT
1200	450	137

Available dimension options:

MONO 100 L/R: 1000x450x137

MONO 120 L/R: 1200x450x137


MONO 140 L/R: 1400x450x137

MONO 160 L/R: 1600x450x137

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger



MONO 160 D

VANITY / INSET WASHBASIN




LENGTH	WIDTH	HEIGHT
1600	450	137

- Recommended mounting method:
 - Vanity
 - Inset
- With or without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with white waste „Click Clack“ trigger





R - LIGHT

COUNTERTOP WASHBASIN



LENGTH	WIDTH	HEIGHT
565	390	128


Recommended mounting method:

- Countertop

- Without tap hole
- Without overflow
- With waste cover
- Without drain stopper assembl

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger



S - LIGHT

COUNTERTOP WASHBASIN



LENGTH	WIDTH	HEIGHT
565	390	128


Recommended mounting method:

- Countertop

- Without tap hole
- Without overflow
- With waste cover
- Without drain stopper assembl

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger





TARA

COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
565	375	130

- Recommended mounting method:
 - Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger





TEO 60

VANITY / INSET / WALL-MOUNTED WASHBASIN




LENGTH	WIDTH	HEIGHT
600	450	137

Recommended mounting method:

- Vanity
- Inset
- Wall-mounted
- Available dimension options:
TEO 80: 800x450x137
TEO 90: 900x450x137
TEO 120: 1200x450x137
- With or without tap hole
- Without overflow
- With waste cover
- Without drain stopper assembl

PRODUCT COMPATIBLE WITH:

- ZPS - PVC trap set with strainer and rubber plug
- ZCS - chromed brass trap set with strainer and rubber plug



TEO 60 IN

INSET WASHBASIN




LENGTH	WIDTH	HEIGHT
600	450	137

Recommended mounting method:

- Inset
- Without tap hole
- Without overflow
- With waste cover
- Cutting template needed for installation

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with with white waste and „Click Clack“ trigger
- ZCC - chromed brass trap set with chromed „Click Clack“ trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger





ULA

COUNTERTOP WASHBASIN




LENGTH	WIDTH	HEIGHT
400	400	155

- Recommended mounting method:
 - Countertop
- Without tap hole
- Without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack” trigger
- ZPW - PVC trap set with white waste „Click Clack” trigger





UNI

WALL-MOUNTED WASHBASIN




LENGTH	WIDTH	HEIGHT
850	600	120

- Recommended mounting method:
- Wall-mounted
- With or without tap hole
- With or without overflow
- Installing on supports possible

PRODUCT COMPATIBLE WITH:

ZPC - PVC trap set with chromed „Click Clack“ trigger
 ZPW - PVC trap set with with white waste and „Click Clack“ trigger
 ZCC - chromed brass trap set with chromed „Click Clack“ trigger
 ZCCN - PVC trap set with chromed "pop down" waste trigger






UGO

VANITY / WALL-MOUNTED WASHBASIN



LENGTH	WIDTH	HEIGHT
1200	430	137

- Available dimensions:
1200x430x137
1400x430x137
1650 L/R
 - Recommended mounting method:
- Vanity
- Wall-mounted
 - Installing on supports possible. The brackets are glued into the sink
 - With or without tap hole
 - With or without overflow
- PRODUCT COMPATIBLE WITH:
- ZPC - PVC trap set with chromed „Click Clack” trigger
 - ZPW - PVC trap set with with white waste and „Click Clack” trigger
 - ZCC - chromed brass trap set with chromed „Click Clack” trigger
 - ZCCN - PVC trap set with chromed "pop down" waste trigger




UGO L/R REGULATED

VANITY / WALL-MOUNTED WASHBASIN



LENGTH	WIDTH	HEIGHT
700 - 2500	400	137

- Available dimensions:
UGO REG 700 - 2500 x430x137
UGO D REG1535 - 2500x430x137
 - Recommended mounting method:
- Vanity
- Wall-mounted
 - Installing on supports possible. The brackets are glued into the sink
 - Custom sizes possible
 - With or without tap hole
 - With or without overflow
- PRODUCT COMPATIBLE WITH:
- ZPC - PVC trap set with chromed „Click Clack” trigger
 - ZPW - PVC trap set with with white waste and „Click Clack” trigger
 - ZCC - chromed brass trap set with chromed „Click Clack” trigger
 - ZCCN - PVC trap set with chromed "pop down" waste trigger





ZOYA 90

VANITY / COUNTERTOP / WALL-MOUNTED WASHBASIN



LENGTH	WIDTH	HEIGHT
900	450	100

- Available dimension options:

ZOYA 80: 800x450x100

ZOYA 60: 600x450x100

- Recommended mounting method:


- Vanity
- Countertop
- Wall-mounted (Installing on supports)

- With or without tap hole

- With or without overflow

PRODUCT COMPATIBLE WITH:

- ZPC - PVC trap set with chromed „Click Clack“ trigger
- ZPW - PVC trap set with with white waste and „Click Clack“ trigger
- ZCC - chromed brass trap set with chromed „Click Clack“ trigger
- ZCCN - PVC trap set with chromed "pop down" waste trigger



SIPHONS

ZPC




ZESTAW ODPEŁWOWO-PRZELEWOWY

- Niski syfon butelkowy
- Mosiężny spust Spust „Kik Klak” z chromowym wykończeniem
- Syfon wykonany z PVC
- W zestawie kółko dystansujące oraz przedłużka pozioma o dł. 23 cm z możliwością ścięcia

DRAIN AND OVERFLOW SET

- Short bottle trap
- Brass „Click Clack” trigger with chrome coating
- Trap made of PVC
- Set includes wheel spacer and 23 cm horizontal length extender with the possibility of cutting to desired dimension



ZCC




OZDOBNY ZESTAW ODPEŁWOWO-PRZELEWOWY

- Spust „Kik Klak” z chromowym wykończeniem
- Syfon wykonany z miedzi pokryty warstwą chromu
- Spust dostosowany do umywalk z przelewem
- W zestawie przedłużka pozioma o długości 32 cm do szczególnych zastosowań

DECORATIVE DRAIN AND OVERFLOW SET

- „Click Clack” trigger with chrome coating
- Trap made of brass covered with chrome coating
- Trigger adapted to washbasins with integrated overflow
- Set includes 32 cm horizontal length extender for specific applications



ZPS




ZESTAW ODPEŁWOWO-PRZELEWOWY

- Niski syfon butelkowy
- Syfon wykonany z PVC
- Siatko ze stali nierdzewnej
- Wyposażony w korek gumowy
- W zestawie kółko dystansujące

DRAIN AND OVERFLOW SET

- Short bottle trap set
- Trap made of PVC
- Stainless steel strainer
- Rubber plug
- Set includes wheel spacer



ZCS




OZDOBNY ZESTAW ODPEŁWOWY

- Ozdobny syfon wykonany z miedzi pokryty warstwą chromu
- Siatko ze stali nierdzewnej
- Korek gumowy z łańcuszkiem
- W zestawie przedłużka pozioma o długości 32 cm do szczególnych zastosowań

DECORATIVE DRAIN SET

- Decorative trap made of brass covered with chrome
- Stainless steel strainer
- Rubber plug with chain
- Set includes 32 cm horizontal length extender for specific applications



ZPCP




ZESTAW ODPLYWOWO-PRZEFLOWOWY

- Syfon pionowy z rewolwą
- Mosiężny spust „Klik Klak” z chromowym wykończeniem
- Syfon wykonany z PVC
- W zestawie elastyczna przedłużka kartonowa
- Zalecany do umywalk wolnostojących z odprowadzeniem podłogowym lub ściennym

DRAIN AND OVERFLOW SET

- Vertical trap with revision
- Brass „Click Clack” trigger with chrome coating
- Trap made of PVC
- Set includes elastic and corrugated extender
- Highly recommended for free standing washbasins with wall or ground outlet pipe



SBKO



WANNOWY ZESTAW ODPLYWOWO-PRZEFLOWOWY DO WANIEI Z PRZEFLEWEM ZINTEGROWANYM

- Mosiężny spust „Klik Klak” z chromowym wykończeniem
- Syfon wykonany z PVC
- Elastyczne przyłącze umożliwiające łatwiejsze podłączenie

DRAIN AND OVERFLOW SET FOR BATHTUBS WITH INTEGRATED OVERFLOW

- Brass „Click Clack” trigger with chrome coating
- Trap made of PVC
- Elastic connector for easier linking trap with outlet pipe



SBK




WANNOWY ZESTAW ODPLYWOWO-PRZEFLOWOWY

- Mosiężny spust „Klik Klak” z chromowym wykończeniem
- Niski syfon wykonany z PVC
- Z możliwością czyszczenia od góry
- W zestawie klucz ułatwiający montaż
- Zalecany do wanien bezprzepływowych

DRAIN AND OVERFLOW SET FOR BATHTUBS

- Brass „Click Clack” trigger with chrome coating
- Short trap made of PVC
- With possibility of cleaning from the top
- Set includes a tool for easier mounting
- Recommended for bathtubs without overflow



SBKOW



WANNOWY ZESTAW ODPLYWOWO-PRZEFLOWOWY DO WANIEI Z PRZEFLEWEM ZINTEGROWANYM

- Mosiężny spust „Klik Klak” z białym korkiem spustu połysk lub mat*
- * Wykończenie i kolor takie samo jak produkt
- Syfon wykonany z PVC
- Elastyczne przyłącze umożliwiające łatwiejsze podłączenie

DRAIN AND OVERFLOW SET FOR BATHTUBS WITH INTEGRATED OVERFLOW

- Brass „Click Clack” trigger with white valve cone in glossy or mat finish*
- * Surface finish and color identical to a product
- Trap made of PVC
- Elastic connector for easier linking trap with outlet pipe



SBKW




WANNOWY ZESTAW ODPLYWOWO-PRZEFLOWOWY

- Mosiężny spust „Klik Klak” z białym korkiem spustu połysk lub mat*
- * Wykończenie i kolor takie samo jak produkt
- Niski syfon wykonany z PVC
- Z możliwością czyszczenia od góry
- W zestawie klucz ułatwiający montaż
- Zalecany do wanien bezprzepływowych

DRAIN AND OVERFLOW SET FOR BATHTUBS

- Brass „Click Clack” trigger with white valve cone in glossy or mat finish*
- * Surface finish and color identical to a product
- Short trap made of PVC
- With possibility of cleaning from the top
- Set includes a tool for easier mounting
- Recommended for bathtubs without overflow



ZOPCHP




WANNOWY DEKORACYJNY ZESTAW ODPLYWOWO-PRZEFLOWOWY

- Dekoracyjna rura przelewową wykonaną z mosiądzu z chromowym wykończeniem
- Mosiężny spust „Klik Klak” z chromowym wykończeniem
- Syfon wykonany z PVC
- Elastyczne przyłącze
- Możliwość regulacji rury przelewowej

DECORATIVE DRAIN AND OVERFLOW SET FOR BATHTUBS

- Decorative overflow brass pipe with chrome coating
- Brass „Click Clack” trigger with chrome coating
- Trap made of PVC
- Elastic connector
- Overflow pipe with possibility of trimming



SWK




WANNOWY ZESTAW ODPIYWOWO-PRZELIOWOWY

- Mosiężny spust „Klik Klak” z chromowym wykończeniem
- Wykonany z PVC
- Z możliwością czyszczenia od góry

DRAIN AND OVERFLOW SET FOR BATHTUBS

- Brass „Click Clack” trigger with chrome coating
- Made of PVC
- with possibility of cleaning from the top



SBZS




ZESTAW ODPIYWOWO DO BRODZIKÓW

- Mosiężne sito z chromowym wykończeniem
- Syfon wykonany z PVC
- Z możliwością czyszczenia od góry
- W zestawie klucz ułatwiający montaż

OVERFLOW SET FOR SHOWERTRAYS

- Brass strainer with chrome coating
- Trap made of PVC
- With possibility of cleaning from the top
- Set includes a tool for easier mounting



SWA




WANNOWY ZESTAW ODPIYWOWO-PRZELIOWOWY -AUTOMATYCZNY

- Mosiężny spust „Pop up” z chromowym wykończeniem
- Wykonany z PVC
- Z pokrętelem przelwu umożliwiającym zamknięcie i otwarcie odpływu
- Pokrętło wykonane z ABS z chromowym wykończeniem

DRAIN AND OVERFLOW SET FOR BATHTUBS -AUTOMATIC

- Brass „Pop up” trigger with chrome coating
- Made of PVC
- Interconnected knob for automatic closing and opening the drain
- Knob made of ABS with chrome coating



SBZSC




ZESTAW ODPIYWOWO DO BRODZIKÓW

- Mosiężny spust „Klik Klak” z chromowym wykończeniem
- Syfon wykonany z PVC
- Z możliwością czyszczenia od góry
- W zestawie klucz ułatwiający montaż

OVERFLOW SET FOR SHOWERTRAYS

- Brass „Click Clack” trigger with chrome coating
- Trap made of PVC
- With possibility of cleaning from the top
- Set includes a tool for easier mounting



ZOPCH




WANNOWY DEKORACYJNY ZESTAW ODPIYWOWO-PRZELIOWOWY

- W całości wykonany z mosiądzu z chromowym wykończeniem
- Mosiężny spust z chromowym wykończeniem
- Mosiężny korek z chromowym wykończeniem

DECORATIVE DRAIN AND OVERFLOW SET FOR BATHTUBS

- Set made fully in brass with chrome coating
- Brass trigger with chrome coating
- Brass plug with chrome coating



SBZSK




ZESTAW ODPIYWOWO DO BRODZIKÓW

- Otwarty syfon z metalową kratką odpływu
- Syfon wykonany z PVC
- Z możliwością czyszczenia od góry

OVERFLOW SET FOR SHOWERTRAYS

- Open trap with metal waste grid
- Trap made of PVC
- With possibility of cleaning from the top



ZCCN




ZESTAW ODPLYWOWO-PRZELEWOWY

- Niski syfon butelkowy
- Spust „Klik Klak” z chromowym wykończeniem
- Syfon wykonany z PVC
- Korek „Klik Klak” w pozycji otwartej znajduje się na równi ze spustem
- Zalecany do umywalk z maskownicą odpływu
- W zestawie kółko dystansujące

DRAIN AND OVERFLOW SET

- Short bottle trap
- „Click Clack” trigger with chrome coating
- Trap made of PVC
- „Click Clack” plug in the open position is located on par with the trigger
- Highly recommended for washbasins with masked drain
- Set includes wheel spacer



zestaw ZCCN

Elementem charakterystycznym zestawu odpływowego ZCCN jest korek Klik-Klak, który w pozycji otwartej znajduje się na poziomie dna miski. Oprócz przemyślanego designu zestaw ten posiada również innowacyjny wymienny wkład, który dzięki zaawansowanym technologicznie polimerowym żeberkom zapewnia mu dożywotnią, bezawaryjną pracę.

Oprócz tego prezentowany odpływ jest:

- idealny dla umywalk wyposażonych w płytkę maskującą odpływ
- „przyjazny dla biżuterii” - odpowiednio dopasowany otwór zatrzyma większość kolczyków i pierścionków mogących spaść do kanalizacji,
- zapewnia wysoką wydajność przepływu wody.

Oferowany zestaw odpływowy jest wzorem zastrzeżonym zgłoszonym do opatentowania na całym świecie.



ZCCN set

A characteristic element the ZCCN flush is the Click-Clack plug, which is located in the open position at the level of the bottom of the bowl. In addition to the deliberate design the drain also has an innovative removable cartridge which, thanks to high-tech polymer fins ensures it a lifetime, trouble-free operation.


Apart from that, the presented drain is:

- Ideal for basins equipped with a flush drain cover,
- „jewellery friendly”, - a properly fitted opening stops most earrings and rings that may fall to the sewage system,
- ensures high water flow rate.


The offered flush is a model that is a Registered Design and patent pending worldwide.



Korek Klik-Klak w pozycji otwartej
Click-Clack plug in the open position



Korek Klik-Klak w pozycji zamkniętej
Click-Clack plug in a closed position



marmorin